



## PROBLEMS AND PERSPECTIVES OF MEDICAL CRIMINAL ERRORS

T.Ravi Kumar<sup>1</sup>, Dr P.Savitri<sup>2</sup>, Dr. M Bujji Babu<sup>3</sup>

<sup>1</sup>Lecturer in Physical Education, Hindu College Guntur

Email: ravi.telidevulapalli@gmail.com

<sup>2</sup>Associate Professor of Anatomy, Guntur Medical College, Guntur.

<sup>3</sup>Lecturer in Physical Education, CR College, Chilakaluripet, AP., India



### Article Info

Article Info:

Received: 20/08/2014

Revised on : 17/09/2014

Accepted on: 19/09/2014

**ABSTRACT:** Medicine is a connected science going for saving and advancing wellbeing and regarding diseases and additionally managing harms which amid the history human being. Human being attempted to execute instruments and sciences and distinctive religious gatherings to find the successful methods for treating diseases. Modernizing the medical science in the present world and advancing new and distinctive methods for treatment has streamlined treatment of various diseases and then again tested medicines in regards to liabilities in treatment focus like never before, so happening shortfall and medical errors and improper reactions in the consequence of yearly treatment dispenses an impressive claims of legal courts. As per a similar issue the present article tries to research thoughts with respect to criminology in the two territories of hypothetical and connected criminology to decide this issue "medical criminal error" was resolved utilizing which hypothesis of criminology and thusly to avert and oppose against event of such occasions methodologies of which thoughts in preventive criminology ought to be utilized, lastly as indicated by past investigations in wellbeing the basic reasons and factors of producing medical criminal errors are talked about and after that conceivable techniques to influence reasons for criminal errors and anticipating them are examined.

### Introduction

Offering medical and treatment administrations to patients has dependably been planned and executed going for advancing the level of human wellbeing and definitely suppliers of such administrations have an incredible segment in exact actualizing such projects, in this manner, next to expanding significance of giving right treatment benefits in advancing the level of wellbeing in the public arena, human errors by suppliers of such administrations may bring about an extensive issue in medical problems.

There are distinctive definitions about medical errors that of them is a definition offered by Joint Communication: Accreditation, Health care, Certification Organization (JCAHO) that designated "medical error is undesirable activity happening due to disregard, or it is an activity that would not bring about fitting outcome in treatment", the medical criminal error in this article are not quite the same as particular kinds of medical errors as by and large concerning issues by specialists in Health zone, while medical criminal error alludes to those errors that for their consideration in Islamic Penal Code are legitimately enforceable. Along these lines, to incorporate a medical error as a criminal activity and prosecutable by law, at first the activity should bring about a reaction and harm and furthermore this symptom ought to be the aftereffect of shortages by treatment group, accordingly, the same a similar law is the lawful part of the issue, while in such talk we expects to think about the issue in the new perspectives and in the perspective of criminology.

Absence of complete reports in regards to such issue as per expanding number of such claims concerning measurements criminology is the pinpoint of this article. As needs be the present analyst endeavored to manage criminology thoughts in the two parts of hypothetical and connected measurement that medical criminal error as indicated by particular highlights, for example, accidental events in an expert occupation condition could be determined by which criminology thoughts and therefore to anticipate and foresee such occasions which criminology methodology can be utilized.

In like manner, issues of this article are legitimate and criminology measurements of criminal error criminology in medical exercises. As it were, as per new endorsed law of Islamic correctional, criminal error in medical crimes incorporate which legitimate and criminology measurements? The presumption of the author is that criminal error in medicine has what lawful measurements that incorporates the privileges of patient et cetera and in what criminology measurements including lacking of professional has distinctive measurements, and as per high number of claims of criminal errors in medicine, supervision and counteractive action in this regard has been significant and enforceable. Paragraph J of article 158 and articles 495 to 497 of new Islamic Penal Code with respect to duty in medical crimes is portrayed and caused more legitimate space for accomplishing causality relationship in finding reality.

As said medical error is accidental that isn't a decent aftereffect of treatment (Ghajarzadeh, 2011, p. 21), or it is shortfall in overhauling or completing a wrong activity in arranging or application that possibly or effectively brings about an undesirable outcome.

Criminology in a more extensive significance implies considerations and clear thoughts with respect to wrongdoing of criminologist and the strategies for controlling wrongdoing (Sparks, Garland, 2000, p. 189-204). In the perspectives of researchers in criminology each criminal activity is the impact of various elements that can be examined in various levels. Criminologists in hypothetical criminology demonstrate that a few elements are identified with identity of the criminal individual and some are identified with what aside from interior identity included the individual as an inside activity and caused criminal activities by individual. In this manner, criminologists represent the reason of criminal practices in the individual level and some of the time in social level (Shojaei, 2001, p. 58). Investigators focus on the individual levels of criminal conduct particularly from organic and mental components that their part is detail of the aftereffect of including particular people in criminal activities ought to be underscored (Salimi, 2004, p. 58). Something else, a few criminologists examined about outer components and powerful social level on event of criminal activity, with the goal that the reasons for criminal activities can be looked for from social and basic elements (on the same page, 59).

Studies in regards to individual reasons for such crimes are about criminal people which did purposeful activities with criminal choices which are in genuine their activity is wrongdoing. In this manner, worried about particular of wrongdoing or going astray practices based on individual determinations is important which the aftereffects of individual highlights of criminal people are. While in dialogs about present purposes, criminal investigation of criminal errors of treatment group and the subject of discourse demonstrates that the solid component of this criminal issue is only a kind of deficiency in obligations, with no criminal intensions for introduce harms, thusly in this exchange it is important to examine the technique for second gathering of criminologists to talk about the ecological elements full of feeling on expanding the coefficient of medical criminal error.

In the domain of ecological criminology a report called "Lion or the school of social condition" was shaped by Alexander Lacassayne 1843-1924 that this school very underscored on the impact of social condition in criminology. In Lacassayne see conditions and actuating statues of social angles drive people to carry out crimes. The rule of this school shows that as a matter of first importance social condition is a warm and legitimate space for duplication and event of wrongdoing, besides, criminal is the sad casualty of social framework and shortages of association has made him criminal (Rahiminejad, 2009, p. 8081). Lacassayne trusted that each general public merits criminals which raised itself (Najafi, 1996, p. 334). Of conditions that are vital in the perspective of criminology is nature of occupation as influences the soul of workplace (Kainia, 2006, p. 189).

With respect to highlights of medical criminal error as criminal error of treatment group in an expert domain and in treatment focuses, all things considered, is influenced by various ecological elements; along these lines, we talk about the most well-known elements of conditions that their event in medical foundations gives the grounds to criminal errors of treatment group.

**High working weight**

Of issues that caused numerous treatment issues are high working weight that alludes to absence of adequate time for offering suitable social insurance benefits by medicine or other treatment group, so medicines notwithstanding complex treatment issues and nature of their chance has no adequate time to be with their patients (Northcott, 2008, p. 122-115), and a similar issue now and then outcome in shortage of current data in the clinical instances of patient and bring about harming reactions. Additionally, this issue in absence of upholding the procedure of nursing plays a noteworthy part, while execution of nursing go one as indicated by the procedures of nursing, social specialists would performs minds at any rate time with astounding (Akbari, 2010, p. 181-186). The greater part of the examinations spoke to that high working weight is one of the primary stressors (Brommels, 2007, 7-14; Nikpaima, 2009, p. 22-27). In this manner, understanding occupation stressors and persuasive elements are full of feeling as they influence physical and emotional well-being that itself is a genuine risk on execution and hierarchical affectivity and expanding the coefficient of error (Raeisi, 2002, p. 247-248). The global committee of attendants expressed that laborers with high pressure 30% more than others are presented to work occasions. Of alternate impacts of high occupation push we can allude to fatigue, inordinate eagerness of treatment group. In a report of errors by professionals he showed that 10% of my errors are a direct result of depletion and scurrying (Sandars, 2003, 231-236). Aftereffect of a meeting demonstrate that 53% of medical attendants and half of experts expressed that the reason of their errors are high working weight and weariness (Robert, 1933-1940). Of the opposite reactions of high working we can allude to diminishing fixation and absence of controlling over working conditions by the faculty of social insurance (Nikpaima and Gholamnejad, 2009, p. 22-27).

**Frail correspondences**

Of the issues causing errors are shortfall correspondences including connection amongst professional and understanding and other treatment group (expert, attendants, and specialized reactions of doctor's facilities and ...), with the goal that distinctive examinations showed that such cases are powerful factors in expanding criminal error of medical group (Robert, 1933-1940). Frail connections of treatment group in the time procedure amongst essential and optional considerations have a place with such tricky cases (Sandars, 2003, p. 231-236).

Proper correspondence of professional and patient are the premise of medical care. The reason for correspondence is trading data, normal comprehension, trust, and shared choices, on the grounds that a specialist recipient isn't machine or gadget, however human being needs physical and mental treatment.

**Shortcomings in instructive terms and defending treatment work force**

Of the most imperative issues in this segment we can allude to issues of offering clinical instruction. Clinical training is the most imperative area in the medicine time frame (Gandomkar, 2011, p. 279-290), so the consequence of a meeting of medical understudies demonstrated that 100% of them think about clinical instruction as the compelling method for teaching proficient aptitudes (Nair, 1997, 6-341).

One of the issues around there is the meaning of different parts for specialists who are spending their missions. In a 6 crease classification the part of clinical specialists include: 1. Offering data, 2. The part of model, 3, offices, 4. Evaluator, 5. Architect obviously organizers, providing course assets. Certainly taking distinctive parts in the meantime is so troublesome. The part of medical teachers in a college situation is given to instruction, accordingly, in a clinical domain professionals need to play out a few parts in the meantime and amid a restricted time change their situation starting with one part then onto the next (Ramani, 2008, p. 347-364). Of the other essential confinements to offer fitting clinical instruction is the restricted time of clinical experts and high number of patients. The part of time is the principle reason of rapid of activity in clinical specialists that profoundly impacts issue in instruction and group educating (Hoffman, 2004, 54-448). High number of patients assumes a noteworthy part in diminishing the ideal opportunity for instructing (Ramani, 2008, p. 347-364). Occupied areas and absence of access to patients Nair, 1998, p. 62-159), absence of adequate substructures for instruction, frail correspondence with medical universities, inadequate supervision of understudies and absence of legitimate exercises of understudies (Seabrook, 2003, 22-213) lack of considering the humility and place of for training and outrageous part of research in the advancement standards are avoiding factors which effect on the procedure of clinical training (Gandomkar, 2011, p. 279-290). Consequence of a meeting demonstrated that professionals trust that such aptitudes ought to be instructed (Beydon, 2001, p. 382-387).

The second issue in instruction is showing fundamental aptitudes to clients to appropriately apply doctor's facility hardware for legitimate and secure use of such gear.

Aftereffect of an investigation demonstrates that 14 to 71 percent of errors are identified with medical gear, hesitant, and deficient learning of clients. Investigations of Clayton show that 55% of clients can break down Anesthesia Machines as indicated by models of Newlands University and only 16% of them utilize defibrillation appropriately. Hence, the German experts instruct specialists particular trainings with respect to new medical machines in the clinical area (on the same page).

#### **Issues of techniques and official procedures**

Inadequacies in the nature of human assets efficiency particularly introduction techniques and making systems for new specialists, conventions, strategies and administration needs and ... are factors that having their complexities influence the nature of working in the clinical condition and right execution of the staff (Elizabeth A, 2004, 196-201). One of the primary reasons of that are by and large found in the instances of medical claims alludes to absence of adequate aptitude in people. Regardless of partition of a similar issue, sadly we encounter the issue of absence of proper administration of human assets in the treatment focuses that their portrayals are absence of solidness in the activity state of specialists (Abili, 2009, 26-38), absence of adequate help by overseeing medical foundations for executing the procedure of care as indicated by logical and day by day controls (Akbari, 2010, 181-186), absence of utilizing nursing staff (Northcott, 2008, 115-122), the changing movement of working and unpredictable hours of movements (Solaimani, 1986, p. 29) and expansion of night shifts (Nikpaima, Gholamnejad, 2009, p. 22-27). As per the past investigations nurture more than others are blamed, and in this way as the bleeding edge of medical care they can avert medical errors (Zivin, 2004, p. 935-949). Studies demonstrate that the most widely recognized errors concern the measurements of medications (Sandars, 2003, p. 231-236). Particularly in regards to drugs with units other than milli-or microgram there are a few errors (Nasiri, 2009, p. 113-115). Medication obstructions are in the second level in regards to partition (Sandars, 2003, 231-236). Of the issues bringing about insufficient of data we can allude to data of the clinical instances of patients and justification for errors, and absence of automated medical accounts (Robert, 1933-1940). Truth be told such framework is utilized for arranging doctor's facility data during the time spent care and treatment. The reason for doctor's facility data framework is supporting healing facility exercises in the logical levels, strategy and vital for offering administrations to patients, diminishing the cost of treatment, diminishing the season of administrations, diminishing treatment errors, and reporting the instances of patients. As per thinks about a few factors in treatment focuses makes clients have no enthusiasm for utilizing this framework during the time spent minding that of them we can allude to absence of adequate time and doing maturing a work in doing obligations, in certainty as laborers of treatment focuses notwithstanding modernized enrollment need to record a few papers have no enthusiasm for enlisting mechanized data (Kahoei, 2007, p. 193-202).

#### **Second issue: procedures of opposing and keeping the medical criminal errors**

Today, preventive criminology through anticipating is utilized and separated into two fundamental subsections of social counteractive action (social or condition based) and deducting avoidance. With respect to anticipating occurrence of criminal errors of treatment group the main suggestion in the hypothesis of social counteractive action the principal compose is material. The hypothesis of social aversion from wrongdoing accept that structures and social organizations have an extensive part in criminology by changing these structures event of criminal occasions diminishes (Jamali, 2010, p. 65).

The second area of preventive criminology that is called deducting aversion. During the time spent deducting counteractive action the wrongdoing was preventive paying little heed to the way that criminal individual has been influenced by what issue tries to change chances of carrying out and their objectives applying physical strategies by changing and controlling proper open doors for perpetrating wrongdoing that invalidates event of wrongdoing and appropriately anticipates human and social variables. Along these lines, a few recommendations with preventive activities for diminishing event of criminal errors are postured (Rajabipour, 2008, 100-101).

#### **Giving vital instructive arrangements, assessment and supervision**

Naming data connects amongst doctor's facilities and medical sciences colleges, giving opportunities to exchange and meeting and expressing sees in connection to advancements for instructive program and time table (Hendry, 2005, 1129-1139), necessities for getting formal testament from related organizations for clinical training going for advancing

information of this gathering of experts with respect to showing innovation, building up the booklets of controlling clinical educating (Ramani, 2008, 347-364), diminishing the time interim between formal instructive sessions and relearning for saving the aptitudes of treatment group (Lieberman, 1999, 37-55) and offering showing time administration in instructive projects while serving staff and offering more help of professionals in the instructive part (Seabrook, 2003, 213-222), tolerating and valorizing training and educating against offering medical administrations and accomplishment in look into (Hendry, 2005, 1129-1139) are strategies which are full of feeling issues for deterring shortfalls and instructive issues.

#### **Making the arrangement of revealing medical errors**

Of issues that the treatment group isn't keen on communicating medical errors is the presence of a wrong authoritative culture which denounced one who specifically has been in contact with patient and goes for rebuffing him/her (Elizabeth, 2004, p. 196-201), as needs be supervisors of wellbeing framework ought to consider error as a perplexing and orderly issue and utilizing persuasive techniques discover the producing reasons for them.

Certainly presence of data in regards to amount and nature of legitimate organizations in regards to medical errors never can be considered as an appropriate issue for the revealing arrangement of error, since exhibit data in such cases is just about slip-ups that have extreme outcomes, for example, demise and as indicated by directions utilizing an individual approach they endeavor to present the criminal individual and remunerating harms of such issues, in this way, fundamental data in regards to errors that for any reason are not brought about lawful claims with hazardous possibilities in the treatment conditions are the result of meddling diverse human impact, authoritative and specialized that can challenge resistance of patients that can't be emotional by concentrate such cases (Sandars, 2003, 231-236). Accordingly, in the perspective of researchers in medical problems to enhance insusceptibility of patients and better information about errors and reports of occasions are required (Beydon, 2001, 382-387). In the perspective of medicines of deterrents of communicating error is dread of lawful claim, budgetary and official approvals (Saul, 2002, p. 470-477).

Keeping in mind the end goal to repay harms which patients manage and persuade doctors to report any error in fields of treatment, it is proposed a progression of legitimate motivations through offering alleviating conditions in the instances of doctors who did error, on alternate hands to sentence seriously those, endeavoring to disguise the errors. It is appears that transforming some legitimate and legal arrangements may contribute communicating errors done by doctors (Zivin, 2004, 935-949).

Be that as it may, changing lawful strategies and association culture are considered as long haul design; in this way, it will be a fleeting technique to plan a site sharing individual information about medical errors thereat to discover reasons of medical errors. Where a framework was connected to express medical errors, information examination done to avert and manage components of error. A standout amongst the most proficient strategies for information examination was main drivers investigation technique. To this end, right off the bat, the investigation ought to set up a grouping of occasions or timetable in light of assessing accessible reports and talking with people associated with the error. Besides, in view of the information assembled amid information examination, the dynamic and decided errors and imperfections of framework were recognized. Thirdly, every one of the causes which ought to be engaged with recognized errors were recorded lastly, the rundown of main drivers was classified inside the separate subgroups (natural, authoritative causes and related ones with process... ). In this progression, we should draw circumstances and end results calculations to distinguish the real place and auxiliary relations of main driver errors (Dabagh, 2006, 957-966). Subsequent to building up uncommon commission looking for the correct reason for occasions detailed, doctors took part in multidisciplinary medical groups to break down issues and make noteworthy techniques to counteract comparative occasions later on (Shojania KG, 2002, 847-67) lastly it is proposed that nursing directors and instructive bosses to plan instructive projects for overhauling and getting ready booklets and instructive notices to execute the important program for advancing the learning of nursing with respect to reasons and methods for opposing against errors (Haji Babaei, 2011, 83-92). Of alternate hindrances of communicating medical errors is the technique for setting up directions around there. As we probably am aware, in the domain of basic leadership in wellbeing administrations the specialist has the aggregate expert over the work and working group (Asghari, 52-57). In spite of the way that section 5 of the article 7 of general articles of common protection duty of experts is in struggle to this essential issue. Passage 5: without documentation understanding of safety net provider obligation isn't working or remuneration would not be taken, generally back up plan would have no dedication in regards to cure or repaying harm.



This section keeps professionals from sincerely articulation of their error regardless of whether it is clear. In this passage the composed understanding of backup plan is the state of communicating error and taking risk by specialist. Certainly the backup plan organization would not forfeit his monetary advantages to interests of patient and just in the states of composed fulfillment the error will be accounted for to the patient, while avoiding advancement of harm is considered and it is conceivable to express the error to the patient and to control the harm over him/her to forestall different harms and the rate of harms to safety net provider. Generally professional ought to be noiseless against inquiries of patient to contact him to rights by legal courts.

In the protection get the expert obligation of specialist is to safeguard security and trust of patients that ought to be the premise of conditions for such protections. Revelation of error that are obligations of patients are against the activity of medicine. In India's law it is conceivable to erase such section from the general controls of the protection of common risk and the setting up the outflow of medical errors was revised and by persuading patients to stay away from pointless claims it was accomplished (Asghari, 2010, p. 52-57).

#### **Expanding authoritative duty of treatment work force**

Effective human assets are a principle file of matchless quality of one association than different associations. So presence of proficient human assets and their responsibility regarding association in each association diminishing nonappearance, postponement and substitution and causes uncommon expanding of authoritative execution, mental delight of laborers and better accomplishment of high reasons for association. Duty is a term with various definitions from various perspectives; appropriately we can acknowledge that hierarchical responsibility is association amongst people and association that is known by three variables: 1. Solid accepting and tolerating purposes and estimations of association, 2. meaning numerous endeavors for association, 3. Solid enthusiasm for staying in association.

Different examinations endeavored to present powerful factors on hierarchical duty of laborers that such discoveries help authoritative chiefs for greater accomplishment in hierarchical efficiency. Of such factors we can allude to following issues: hierarchical participation, support, and equity and additionally the odds of advancement and state of mind to employment and employer stability. By and large, holding lessons while overhauling, offering general criticisms of laborers from the method for their consequences for procedure of association, work division based on limit and meriting, nonstop assessment of execution and focusing on capacities and gifts of staff in expanding duty had a significant part (Abili, 2009, p. 26-38).

#### **Conclusion**

Thinking about examinations and as indicated by absence of criminal goal the issue of medical criminal error can be investigated utilizing present thoughts in ecological criminology like the school of social condition of Dr. Laccasanye and presenting variables of social level in this issue is more critical than elements of individual level, for example, natural and mental highlights of criminal individual. Subsequently, to diminish the likelihood of happening this arrangement of errors the forestalling social based hypotheses and practical issues can be abused.

Treatment staff for enhancing its execution utilizes its capacity, natural and mental capacities, yet by disappointment in wellsprings of protection work dissatisfaction happen and by proceeding with disappointment in wellsprings of protection among the activity burnout happen. What's more, by proceeding with stressor conditions like unseemly administration, high stacking and absence of suitable help and ... medical criminal errors increments. It appears that enhancing connections amongst professional and patient, thinking about medical morals, feeling of requirements for meeting with administrators, defending monetary connections amongst patient and expert, expanding logical and specialized aptitudes in the perceiving and treatment forms, advancing specialized and preparing of treatment focuses and diminishing stressor factors experts in diminishing shortfalls and grumbling them. In like manner the accompanying cases are recommendations for fathoming the dialog. It is proposed that strategy producers of legal territory and directors of wellbeing region adopt a methodical strategy not singular one to take appropriate affability for diminishing ecological, hierarchical and additional authoritative criminal error reasons of treatment group of medicine. Thusly knowing the justification for medical errors, setting up national projects, forestalling medical errors, expanding overseeing programs, creating supporting and assessing framework in hierarchical strategies ought to be worried, to at last prescribe purposes adjacent to dependability to moral qualities to diminish medical criminal errors. Additionally, outlining the right cycling of data in the healing center is the most imperative apparatus of accomplishing mastery of clinical administrations and administering clinical administrations is the focal issue of

patient and his security from conceivable harms as a first focal issue that for exact administrations of this control the accompanying issues are proposed:

- Defining and particular characterizing of undesirable occasions and conceivable errors particularly calamitous occasions
- Existence of archiving strategy, revealing, rehashing, and error investigation underscoring on time interims
- claims and patient's thoughts and access to them for all patients or online access and in addition the type of exercises in the wake of happening undesirable occasions and medical errors lastly utilizing the type of patient fulfillment.
- Existence of the arrangement of grouping of occasions and errors and technique of working with them in the board of trustees of patient insusceptibility
- Introduction and utilizing lists of patient invulnerability in units and measurable structures
- Eliciting ability of patient invulnerability utilizing HIS information of clinic
- Existence of triage, examination and exercises after whines and rehashing the aftereffects of estimating fulfillment in the a half year interim
- Online access to patients for exchanging encounters from the procedure of disease treatment and occasions of their hospitalizing period.

#### References

- [1]. Abili, Kh. And Nasti, N. (2009). Analyzing relationship between capabilities of psychology and organizational commitment in the nursing personnel of Zahedan hospitals, *Research Journal of Health in Yazd University*, 8<sup>th</sup> year, 1 and 2.
- [2]. Asghari, F. (2010). Necessity of reporting medical errors and their conflict with health insurance in the practitioners profession, *The journal of forensics* , 1, 52-57.
- [3]. Akbari, M. and Shamsi, A. (2010). Analyzing obstacles of applying nursing process in the view of specific care section, *Nursing journal of specific cares*, 3,4, 181-186
- [4]. Edward, B. (2002). The history of Islamic medicine. Translated by MasoudRajabnia, fifth publication, *The scientific and cultural publications*, 79.
- [5]. Torshizi, L. and Ahmadi, F.A. (2011). Studying job stressor factors in the view clinical nurses, *Iran's nursing journal*, 24 (70), 49-60.
- [6]. Skaje, D.J. (2008). *Law, ethics, medicine*. Transalted by BahramMashayekhi and ... Paya publications, 1, 66.
- [7]. Valed, J. Bernard, T, Spins, J. (2001). *Theoretical criminology*, translated by Ali Shojaei, Tehran, Samt.
- [8]. Haji Babaei, Jawlaei, S. Pirawi, H. Haghani, H. (2011). Pharmacological errors of nurses and its relationship to some personal and organizational features, *Nursing research*, 6,20.
- [9]. Gandomkar, R. Salsali, M. Mirzazadeh, A. (2011). Influential factors on medical education in the clinical environment: experiences of clinical faculty members. *Education in Medical sciences*, 11 (3), 290.
- [10]. Welsh, B. C., & Farrington, D. P. (2012). Science, politics, and crime prevention: Toward a new crime policy. *Journal of Criminal Justice*, 40(2), 128-133.
- [11]. Ahmady, S., Changiz, T., Masiello, I., &Brommels, M. (2007). Organizational role stress among medical school faculty members in Iran: dealing with role conflict. *BMC Medical education*, 7(1), 14.
- [12]. Garland, D., & Sparks, R. (2000). Criminology, social theory and the challenge of our times. *The British Journal of Criminology*, 189-204.
- [13]. Eagle, C. J., Davies, J. M., & Reason, J. (1992). Accident analysis of large-scale technological disasters applied to an anaesthetic complication. *Canadian Journal of anaesthesia*, 39(2), 118-122.
- [14]. Henneman, E. A., &Gawlinski, A. (2004). A "near-miss" model for describing the nurse's role in the recovery of medical errors. *Journal of Professional Nursing*, 20(3), 196-201.
- [15]. Sandars, J., &Esmail, A. (2003). The frequency and nature of medical error in primary care: understanding the diversity across studies. *Family practice*, 20(3), 231-236.
- [16]. Zivin, J. G., & Pfaff, A. S. (2004). To err on humans is not benign: Incentives for adoption of medical error-reporting systems. *Journal of health economics*, 23(5), 935-949.

- [17]. Beydon, L., Conreux, F., Le Gall, R., Safran, D., &Cazalaa, J. B. (2001). Analysis of the French health ministry's national register of incidents involving medical devices in anaesthesia and intensive care. *British journal of anaesthesia*, 86(3), 382-387.
- [18]. Liberman, M., Lavoie, A., Mulder, D., &Sampalis, J. (1999). Cardiopulmonary resuscitation: errors made by pre-hospital emergency medical personnel. *Resuscitation*, 42(1), 47-55.
- [19]. Nair, B. R., Coughlan, J. L., & Hensley, M. J. (1998). Impediments to bed-side teaching. *MEDICAL EDUCATION- OXFORD-*, 32, 159-162.
- [20]. Nair, B. R., Coughlan, J. L., & Hensley, M. J. (1997). Student and patient perspectives on bedside teaching. *Medical Education*, 31(5), 341-346.
-